
Passivhaus Standard: The Next Step for High Performance Schools Presented by Adam J. Cohen, CPHC NA & EU, LEED AP




High Performance Sustainable School Buildings Workshop

Lexington, Kentucky

Build Smart

What is Passivhaus?



Passive House Requirements

Annual heating demand Annual cooling demand (net floor area)

≤ 15 kWh/m²

≤ 1.4 kWh/ft²

Annual total primary energy demand (net floor area)

≤ 120 kWh/m²

≤ 11.1 kWh/ft²

Air leakage @ 50 P

 $N^{50} \le 0.6$ ACH

N⁵⁰ ≤ 0.6 ACH


Simple, clearly defined and verifiable parameters







Rational for Passive House Metrics



Graph from 'Natural Capitalism' by Paul Hawkins, Amory Lovins, and L. Hunter Lovins









Passivhaus: Innovate and Prosper









Passivhaus: Residential is different

Residential Passivhaus delivered for cost parity with standard construction



Simple choice - Pay for electrons or equity


























RETURN ON INVESTMENT









Hickory Hall Emory and Henry College Dormitory Building Type: 3,716 m² Size: 40,000 ft² **Passivhaus** € 174,156 \$ 230,000 **Investment:** Cost / kWh € 0.876 \$ 0.1153 **Hickory Hall** Elm Hall (US average) Under Completed **Energy Inflation:** 2.0% **Hickory Hall Energy Performance** 4000000 **Hickory Hall** Elm Hall **Elm Hall** erage) Cooling by Consumer Above -20 Clothes Elevator Fan Tons Electronics & Heat Pump, Plug loading, Washing, Small 2.6% 9.2% Load Pumps Lighting & -38 Roof ■ Heat Rejection Appliances, Space Cooling ■ Space Heating Appliances, 17.2% ne (U=0.34^{Lighting, 5.8%} Design Cooling 31.1% Winda 14 Tons **Installed Capacity** DHW, 34.5% Shadin one Dorm OSA Refrigerators, Ventila lompl ~74% Below 23.0% Clothes current code! **ACs** ronic Drying, 44.7% Systen /pe Auxiliary Electricity -Heating by eating Lo) BTU/hr 50,000 HVAC, etc, Design Heat Pump. Installed Heating Capacity 142 QQQIBTU/hr) BTU/hr









Malcolm Rosenberg Center for Jewish Life

Virginia Polytechnic University

Building Type: Mixed Use

Student Center

744 m²


8,000 ft²

Passivhaus € 94,650

Investment: \$ 125,000

Cost / kWh € 0.876 (US average) \$ 0.1153


Energy Inflation: (US 30 yr average) 2.0%











New Office for

Dr.s Lynch, Dickey & Singleton

Building Type: Dental Office

465 m²

5,000 ft²

Passivhaus € 44,182 Investment: \$ 58,139

Cost / kWh € 0.876 (US average) \$ 0.1153


Energy Inflation: (US 30 yr average) 2.0%











Center for Energy Efficient Design

Franklin County, Virginia

Public School Building Type:

> 334 m² Size: 3,600 ft²

Passivhaus € 18,930

\$ 25,000 **Investment:**

Cost / kWh € 0.876 \$ 0.1153 (US average)

Energy Inflation: 2.0% (US 30 yr average)

























Commercial Passivhaus Ready, Steady, GO!























Commercial Passivhaus Ready, Steady, GO!



PHPP 2007

























Commercial Passivhaus Ready, Steady, GO!







































































































































CONTACT: <u>Acohen@StructuresDB.com</u>

(540) 774.4800







